California Department of Conservation

FARMLAND MAPPING AND MONITORING PROGRAM

SOIL CANDIDATE LISTING

FOR

PRIME FARMLAND AND FARMLAND OF STATEWIDE IMPORTANCE MARIPOSA COUNTY

U.S. Department of Agriculture, Natural Resources Conservation Service,soil surveys for Mariposa County include:Soil Survey of Mariposa County Area, California, October 1974

Beginning in 2000, SSURGO digital soil information has been incorporated into the Mariposa County Important Farmland Map. Prior versions of the map have not been modified.

The SSURGO data includes Mariposa County Area (published 09/14/2018). The digital surveys contain additional soil units beyond those published in the original paper surveys. Soils on the Prime Farmland and Farmland of Statewide Importance lists that only occur in the SSURGO data are appended in italics at the end of each list.

For more information on the NRCS SSURGO data, please visit the NRCS Soil Geography webpage: http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/survey/geo/

07/17/1995, updated 12/07/2020

MARIPOSA COUNTY PRIME FARMLAND SOILS

THESE SOIL MAPPING UNITS MEET THE CRITERIA FOR PRIME FARMLAND AS OUTLINED IN THE U.S. DEPARTMENT OF AGRICULTURE'S LAND INVENTORY AND MONITORING (LIM) PROJECT FOR THE *MARIPOSA COUNTY AREA*, SOIL SURVEY.

MARIPOSA COUNTY AREA

<u>SYMBOL</u>	<u>NAME</u>
LdC	Loamy alluvial land

THESE SOIL MAPPING UNITS MEET THE CRITERIA FOR FARMLAND OF STATEWIDE IMPORTANCE AS OUTLINED IN THE U.S. DEPARTMENT OF AGRICULTURE'S LAND INVENTORY AND MONITORING (LIM) PROJECT FOR THE MARIPOSA COUNTY AREA, SOIL SURVEY.

MARIPOSA COUNTY AREA

SYMBOL	<u>NAME</u>
AaC	Ahwahnee sandy loam, 2 to 9 percent slopes
AaD	Ahwahnee sandy loam, 9 to 15 percent slopes
AeD	Auberry sandy loam, 9 to 15 percent slopes
AfD	Auberry rocky sandy loam, 2 to 15 percent slopes
CaC	Clayey alluvial land
JbD2	Josephine loam, 2 to 15 percent slopes, eroded
JcD2	Josephine gravelly loam, 2 to 15 percent slopes, eroded
SaD	San Andreas-Coarsegold complex, 2 to 15 percent slopes
SdD2	Stump springs-Musick sandy loams, 5 to 15 percent slopes, eroded
TaD2	Trabuco clay loam, 2 to 15 percent slopes, eroded
6072	Flanly-Verjeles complex, 0 to 8 percent slopes